

Mid Yorkshire Fungus group, Sorby and British Mycological society field meeting to Yorkshire Sculpture park 21/09/2024

Name			Recommended English Name		
<i>Abortiporus biennis</i>	<i>indet.decid.</i>	<i>rotten stump</i>	Blushing Rosette	Lignicolous saprotroph	
<i>Agaricus sp.</i>			Agaricus sp.	Humicolous saprotrophs	
<i>Agrocybe rivulosa</i>			Wrinkled Fieldcap	Lignicolous saprotroph	woodchips
			Orange Peel		
<i>Aleuria aurantia</i>			Fungus	Humicolous saprotrophs	
			Grey-spotted		
<i>Amanita excelsa var spissa</i>			Amanita	Mycorrhizal	
<i>Amanita muscaria</i>			Fly Agaric	Mycorrhizal	
<i>Amanita rubescens</i>			Blusher	Mycorrhizal	
<i>Apioperdon pyriforme</i>			Stump Puffball	Lignicolous saprotroph	
<i>Armillaria mellea</i>			Honey Fungus	Lignicolous saprotroph	
<i>Auricularia auricula-judae</i>	<i>Acer pseudoplatanus</i>	<i>decayed fallen branch</i>		Lignicolous saprotroph	
<i>Auricularia auricula-judae</i>			Jelly Ear	Lignicolous saprotroph	
<i>Bjerkandera adusta</i>			Smoky Bracket	Lignicolous saprotroph	
<i>Botryobasidium aureum</i>	<i>Fagus</i>	<i>rotten log</i>		Lignicolous saprotroph	
<i>Botryobasidium leave</i>	<i>indet.decid.</i>	<i>rotten fallen branch</i>		Lignicolous saprotroph	
<i>Botryobasidium subcoronatum</i>	<i>Tilia</i>	<i>rotten, fallen branch</i>		Lignicolous saprotroph	
			Clustered		
<i>Britzelmayria multipedata</i>			Brittlestem	Humicolous saprotrophs	
<i>Bulbillomyces farinosus</i>	<i>Alnus</i>	<i>wet, rotten, fallen branch, partly submerged</i>		Lignicolous saprotroph	
<i>Caloboletus radicans</i>			Rooting Bolete	Mycorrhizal	
<i>Calocera viscosa</i>			Yellow Stagshorn	Humicolous saprotrophs	
<i>Calycina citrina</i>	<i>Fagus</i>	<i>decort, decayed, fallen branch</i>	Lemon Disco	Lignicolous saprotroph	
<i>Chalciporus piperatus</i>			Peppery Bolete	Mycorrhizal	
<i>Cheilymenia granulata</i>			Cowpat Gem	Humicolous saprotrophs	
<i>Chlorophyllum (Macrolepiota) rhacodes</i>			Shaggy Parasol	Humicolous saprotrophs	
<i>Clavulinopsis fusiformis</i>			Golden Spindles	Humicolous saprotrophs	

<i>Clitopilus prunulus</i>			The Miller	Humicolous saprotrophs
<i>Coleosporium tussilaginis</i>	<i>Tussilago farfara</i>	<i>live leaf</i>		Parasite
<i>Collybia cookei</i>			Splitpea Shanklet Clustered	Humicolous saprotrophs
<i>Collybiopsis (Gymnopus) confluens</i>			Toughshank	Humicolous saprotrophs
<i>Conocybe pallidospora</i>	<i>Tilia/Quercus</i>	<i>soil</i>		Humicolous saprotrophs
<i>Coprinellus domesticus</i>			Firerug Inkcap	Humicolous saprotrophs
<i>Coprinellus micaceus</i>			Glistening Inkcap	Humicolous saprotrophs
<i>Coprinopsis atramentaria</i>			Common Inkcap	Humicolous saprotrophs
<i>Coprinopsis lagopus</i>			Hare's Foot Inkcap	Lignicolous saprotroph
<i>Cortinarius spp</i>			Webcap spp	Mycorrhizal
			Round-spored	
<i>Crepidotus cesatii</i>			Oysterling	Lignicolous saprotroph
<i>Crepidotus variabilis</i>			Variable Oysterling	Lignicolous saprotroph
<i>Cudoniella acicularis</i>	<i>Quercus?</i>	<i>woody fragment</i>		
<i>collected by Anne Bowers</i>			Oak Pin	Lignicolous saprotroph
<i>Cuphophyllus pratensis</i>			Meadow Waxcap	Humicolous saprotrophs
<i>Cyathus striatus</i>			Fluted Bird's Nest	Lignicolous saprotroph
<i>Daedaleopsis confragosa</i>	<i>Salix</i>	<i>dead attached branch</i>		Lignicolous saprotroph
<i>Daedaleopsis confragosa</i>			Blushing Bracket	Lignicolous saprotroph
<i>Entoloma sp</i>			Pinkgill	Humicolous saprotrophs
			Oak Powdery	
<i>Erisyphe alphitoides</i>			Mildew	Parasite
			Hogweed Powdery	
<i>Erysiphe heraclei</i>			Mildew	Parasite
<i>Erysiphe convolvuli var. calystegiae.</i>	<i>Calystegia sepium</i>	<i>live leaf</i>		Parasite
<i>Erysiphe ulmariae</i>	<i>Filipendula ulmaria</i>	<i>live leaf</i>		Parasite
<i>Fistulina hepatica</i>			Beefsteak Fungus	Lignicolous saprotroph
<i>Galerina graminea</i>		<i>soil/grass</i>	Turf Bell	Humicolous saprotrophs

<i>Ganoderma adspersum</i>			False Artist's Bracket	Lignicolous saprotroph
<i>Gloiothele lactescens</i>	<i>Salix</i>	<i>decort, rotten log</i>		Lignicolous saprotroph
<i>Gymnopilus junonius</i>			Spectacular Rustgill Russet Toughshank	Lignicolous saprotroph
<i>Gymnopus dryophilus</i>				Lignicolous saprotroph
<i>Gymnopus erythropus</i>			Redleg Toughshank	Lignicolous saprotroph
<i>Gyrophanopsis polonensis</i>	<i>Salix</i>	<i>decort, decayed, fallen branch</i>		Lignicolous saprotroph
<i>Helicogloea cf. sebacea</i>	<i>Salix</i>	<i>decort, decayed, fallen branch</i>	<i>herb: ARS</i>	Lignicolous saprotroph
<i>Helminthosphaeria corticiorum</i>	<i>Hyphoderma roseocreum</i>	<i>growing on/through hymenium</i>		Parasite
<i>Heteroradulum deglubens</i>	<i>Salix</i>	<i>decort, decayed, fallen branch</i>		Lignicolous saprotroph
<i>Hygrocybe glutinipes</i>			Glutinous Waxcap	Humicolous saprotrophs
<i>Hygrophoropsis aurantiaca</i>			False Chanterelle	Humicolous saprotrophs
<i>Hymenogaster sp</i>			Hymenogaster sp	Mycorrhizal
<i>Hymenopellis radicata</i>			Rooting Shank	Humicolous saprotrophs
<i>Hyphoderma argillaceum</i>	<i>Sambucus nigra</i>	<i>decort, rotten, fallen trunk</i>		Lignicolous saprotroph
<i>Hyphoderma roseocreum</i>	<i>Salix</i>	<i>decort, decayed, fallen branch</i>		Lignicolous saprotroph
<i>Hyphoderma setigerum</i>	<i>Salix</i>	<i>rotten, fallen branch</i>		Lignicolous saprotroph
<i>Hyphodontia sambuci</i>			Elder Whitewash	Lignicolous saprotroph
<i>Hypholoma fasciculare</i>			Sulphur Tuft	Lignicolous saprotroph
<i>Hypomyces chrysospermus</i> on un-ID bolete			Bolete Eater	Parasite
<i>Hypoxylon fragiforme</i>			Beech Woodward	Lignicolous saprotroph
<i>Inocybe glabripes</i>	<i>Quercus</i>	<i>soil</i>		
collected by Anne Bowers			Darkish Fibrecap	Mycorrhizal
<i>Inocybe pusio</i>	<i>Tilia/Quercus</i>	<i>soil</i>		
collected by Ian Forward			Laddie's Fibrecap	Mycorrhizal
<i>Inocybe putilla</i>	<i>Quercus</i>	<i>soil</i>	collected by Anne	
Bowers				Mycorrhizal
<i>Inocybe spp</i>			Fibrecaps spp	Mycorrhizal
<i>Jackrogersella multiformis</i>			Birch Woodward	Lignicolous saprotroph

<i>Laccaria laccata</i>	<i>Quercus/fagus</i>	<i>soil</i>	Deceiver	Humicolous saprotrophs
<i>Laccaria proxima</i>			Scurfy Deceiver	Humicolous saprotrophs
<i>Lacrymaria lacrymabunda</i>			Weeping Widow	Humicolous saprotrophs
<i>Lactarius blennius</i>			Beech Milkcap	Mycorrhizal
<i>Lactarius tabidus</i>			Birch Milkcap	Mycorrhizal
<i>Laetiporus sulphureus</i>	<i>Quercus</i>	<i>dead fallen trunk</i>		Lignicolous saprotroph
<i>Laetiporus sulphureus</i>			Chicken of the Woods	Lignicolous saprotroph
<i>Lycoperdon excipuliforme (last year's base)</i>			Pestle Puffball	Humicolous saprotrophs
			Fairy Ring	
<i>Marasmius oreades</i>			Champignon	Humicolous saprotrophs
<i>Marasmius rotula</i>			Collared Parachute	Humicolous saprotrophs
<i>Melanoleuca verrucipes</i>			Warty Cavalier	Mycorrhizal
<i>Melastiza cornubiensis</i>			Orange Cup	Humicolous saprotrophs
<i>Meripilus giganteus</i>	<i>Fagus</i>	<i>cut stump</i>		Lignicolous saprotroph
<i>Meripilus giganteus</i>			Giant Polypore	Lignicolous saprotroph
			Common Grey	
<i>Mollisia cinerea</i>			Disco	Lignicolous saprotroph
<i>Mucidula mucida</i>			Porcelain Fungus	Lignicolous saprotroph
<i>Mycena aciculata</i>	<i>indet.decid.</i>	<i>thin fallen twig</i>	Hairy Bonnet	Humicolous saprotrophs
<i>Mycena arcangeliana</i>	<i>Fagus</i>	<i>rotten fallen trunk</i>	Angel's Bonnet	Humicolous saprotrophs
<i>Mycena capillaris</i>			Beechleaf Bonnet	Humicolous saprotrophs
<i>Mycena galericulata</i>	<i>Quercus</i>	<i>rotten fallen branch</i>	Common Bonnet	Humicolous saprotrophs
<i>Mycena galopus</i>	<i>Fagus/Quercus</i>	<i>soil</i>	Milking Bonnet	Humicolous saprotrophs
<i>Mycena inclinata</i>			Oak Stump Bonnet	Lignicolous saprotroph
<i>Mycena rosea</i>			Rosy Bonnet	Humicolous saprotrophs
<i>Mycena vitilis</i>			Snapping Bonnet	Humicolous saprotrophs
<i>Myxarium grilletii</i>	<i>Fagus</i>	<i>rotten log</i>		Lignicolous saprotroph
<i>Myxarium nucleatum</i>	<i>Salix</i>	<i>wet, decayed, fallen branch</i>		Parasite

<i>Myxarium podlachicum</i>	<i>Sambucus nigra</i>	rotten, decort, fallen trunk		Lignicolous saprotroph
<i>Natantiella ligneola</i>	<i>Salix</i>	rotten fallen branch		Lignicolous saprotroph
<i>Naucoria salicis</i>	<i>Salix</i>	soil		
collected by Anne bowers			Willow aldercap	Mycorrhizal
<i>Nectria cinnabarina</i> (sexual and asexual stages)			Coral Spot	Lignicolous saprotroph
<i>Oliveonia pauxilla</i>	<i>Typha latifolia</i>	base of dead standing stem	herb: ARS	Humicolous saprotrophs
<i>Ombrophila pura</i>			Beech Jellydisc	Lignicolous saprotroph
<i>Orbilia arundinacea</i>	<i>Typha latifolia</i>	rotten fallen stem		Humicolous saprotrophs
<i>Panaeolus acuminatus</i>			Dewdrop	
<i>Panaeolus fimicola</i>			Mottlegill	Humicolous saprotrophs
			Turf Mottlegill	Humicolous saprotrophs
<i>Panaeolus foenisecii</i>			Mower's	
<i>Paralepista flaccida</i>			Mushroom	Humicolous saprotrophs
<i>Parasola leiocephala</i>			Tawny Funnel	Humicolous saprotrophs
<i>Paxillus involutus</i>			Bald Inkcap	Humicolous saprotrophs
<i>Peniophora lycii</i>	indet.decid.	thin, decort, fallen branch	Brown Rollrim	Mycorrhizal
<i>Peniophorella praetermissa</i>	indet.decid.	rotten fallen branch		Lignicolous saprotroph
<i>Peziza sp</i>			Peziza sp	Humicolous saprotrophs
<i>Phallus impudicus</i>			Stinkhorn	Humicolous saprotrophs
<i>Phlebia livida</i>	<i>Alnus</i>	rotten, fallen branch		Lignicolous saprotroph
<i>Phlebia rufa</i>	<i>Quercus</i>	decayed, decort, fallen branch		Lignicolous saprotroph
<i>Phlebiella fibrillosa</i>	<i>Salix</i>	decayed, decort, fallen branch		Lignicolous saprotroph
<i>Phloeomana hiemalis</i>			Winter Bonnet	Humicolous saprotrophs
<i>Phloeomana speirea</i>			Bark Bonnet	Lignicolous saprotroph
<i>Pholiota squarrosa</i>			Shaggy Scalycap	Lignicolous saprotroph
<i>Pholiotina aporos</i>			Pholiotina aporos	Humicolous saprotrophs
<i>Pholiotina velata</i>	<i>Salix/ Urtica</i>	soil	found in nettle bed	Parasite
<i>Phragmidium violaceum</i>	<i>Rubus fruticosus</i> agg.	live leaf		Parasite

<i>Phragmidium violaceum</i>			Violet Bramble	
			Rust	Parasite
<i>Pilobolus kleinii</i>			Hat Thrower	
<i>Pleurotus ostreatus</i>			species	Parasite
<i>Pluteus cervinus</i>			Oyster Mushroom	Lignicolous saprotroph
<i>Pluteus salicinus</i>	<i>Fagus</i>	<i>rotten log</i>	Deer Shield	Lignicolous saprotroph
			Deer Shield	Lignicolous saprotroph
<i>Psathyrella corrugis</i>			Red-edge	
<i>Psathyrella microrhiza</i>			Brittlestem	Humicolous saprotrophs
			Rootlet Brittlestem	Humicolous saprotrophs
<i>Psathyrella piluliformis</i>			Common Stump	
			Brittlestem	Humicolous saprotrophs
<i>Psilocybe semilanceata</i>			Magic Mushroom /	
<i>Puccinia pulverulenta</i>	<i>Epilobium hirsutum</i>	<i>moribund leaf</i>	Liberty Cap	Humicolous saprotrophs
<i>Radulomyces confluens</i>	<i>indet.decid.</i>	<i>rotten, fallen branch</i>		Parasite
<i>Rhytisma acerinum</i>				Lignicolous saprotroph
<i>Russula atropurpurea</i>			Sycamore Tarspot	Parasite
<i>Russula graveolens</i>			Purple Brittlestem	Mycorrhizal
<i>Russula ochroleuca</i>			Oldcrab Brittlestem	Mycorrhizal
<i>Sawadaea bicornis</i>	<i>Acer pseudoplatanus</i>	<i>live leaf</i>	Ochre Brittlestem	Mycorrhizal
<i>Schizophyllum commune</i>			Maple Mildew	Parasite
<i>Scleroderma verrucosum</i>			Split Gill	Lignicolous saprotroph
<i>Scopuloides rimosa</i>	<i>Salix</i>	<i>decort, decayed, fallen branch</i>	Scaly Earthball	Humicolous saprotrophs
<i>Sebacina epigaea</i>	<i>Salix</i>	<i>decort, decayed, fallen branch</i>		Lignicolous saprotroph
<i>Stemonitis sp</i>			<i>herb: ARS</i>	Lignicolous saprotroph
<i>Stereum hirsutum</i>	<i>Quercus</i>	<i>dead fallen branch</i>	Stemonitis sp	Myxomycete
<i>Stereum hirsutum</i>				Lignicolous saprotroph
<i>Stereum subtomentosum</i>	<i>Fagus</i>	<i>dead fallen branch</i>	Hairy Curtain Crust	Lignicolous saprotroph
			Yellowing Curtain Crust	Lignicolous saprotroph

<i>Suillus luteus</i>			Slippery Jack	Mycorrhizal
<i>Taphrina tosquinetii</i>	<i>Alnus glutinosa</i>	<i>live leaf</i>		
<i>sucker growth</i>			Alder Wrinkle	Parasite
<i>Thelephora palmata</i>			Stinking Earth Fan	Humicolous saprotrophs
<i>Trametes versicolor</i>			Turkeytails	Lignicolous saprotroph
<i>Tricholoma ustale</i>			Burnt Knight	Mycorrhizal
<i>Tubaria furfuracea</i>			Scurfy Twiglet	Humicolous saprotrophs
<i>Tulasnella deliquescens</i>	<i>Salix</i>	<i>decort, decayed, fallen branch</i>	<i>herb: ARS</i>	Lignicolous saprotroph
<i>Tulasnella eichleriana</i>	<i>indet.decid.</i>	<i>rotten, decort, fallen branch</i>		Lignicolous saprotroph
<i>Tulasnella violea</i>	<i>Salix</i>	<i>rotten, fallen branch</i>		Lignicolous saprotroph
<i>Uromyces muscari</i>			Bluebell Rust	Parasite
<i>Xerocomellus cisalpinus</i>			Blue-foot Bolete	Mycorrhizal
<i>Xerocomellus pruinatus</i>			Matt Bolete	Mycorrhizal
			Beechmast	
<i>Xylaria carpophila</i>			Candlesnuff	Lignicolous saprotroph
			Dead Moll's	
<i>Xylaria longipes</i>			Fingers	Lignicolous saprotroph
			Dead Man's	
<i>Xylaria polymorpha</i>			Fingers	Lignicolous saprotroph
<i>Xylodon sambuci</i>	<i>Typha latifolia</i>	<i>dead stem base</i>		Humicolous saprotrophs